

GANSEVOORT

A tactile linen wallcovering
that evokes timeless
craftsmanship



INSTYLE

GANSEVOORT



Misto GAN-01



Macchiato GAN-02



Doppio GAN-03




Latte GAN-04



Cappuccino GAN-06



Mocha GAN-05



Americano GAN-07

Patterns shown are not to scale
Product may vary in colour due to the nature of the media
Please refer to website for current colour range



FACE COMPOSITION	89% linen, 11% polyester
BACKING TYPE	non-woven
WIDTH	109cm
WEIGHT	427gsm / 465g lineal m
PATTERN REPEAT	non-match
ROLL SIZE	39.3m approx. NB: minimum order quantity is 10.9m and 0.9m multiples
PERFORMANCE	Untyped Wallcovering
FIRE RATING	ASTM E-84 Tunnel Test Class A

ENVIRONMENT

- GANSEVOORT is made from 89% rapidly renewable content (linen)
- Made with water-based inks and topcoats
- Free of heavy metals, plasticisers and fire retardant chemicals

PRODUCT INSTALLATION

- Please refer to installation instructions for GANSEVOORT supplied with each shipment.
- All material must be installed in numerical sequence as cut from the roll.

CARE + MAINTENANCE

- Due to the delicate nature of the finishes, care must be taken not to damage or mark the surface due to abrasion / rubbing.
- General maintenance can be achieved with periodic dusting or vacuuming with a soft brush attachment.
- Remove ordinary dirt and smudges with a mild soap and warm water solution.
- Always test the solution on an inconspicuous portion of the wallcovering before proceeding, checking that there is no adverse effect on finish, colour or gloss.
- Care should be taken on dark colours due to the possibility of causing 'light marks'. Always use a blotting action rather than rubbing to avoid abrasion.
- Rinse thoroughly with clean water from the top down using a sponge.
- Dry with a soft lint free cloth or towel.
- Avoid alcohol / solvent based cleaners.

WARRANTY

- For a period of 3 years from date of invoice this wallcovering is guaranteed to be first quality and free of manufacturing defects. This warranty applies only to professionally applied installations according to the recommended installation instructions, and proper care and maintenance using appropriate cleaning agents as outlined in the care and maintenance instructions.

