



# **Ecoustic® Matrix**

A dynamic modular wall tile designed to provide quality sound absorption



Matrix Wall Tile ecoustic

#### **Front View**




PRODUCT Ecoustic® Matrix Wall Tile

COMPOSITION 100% polyester (<23% PC + PI recycled PET)

DIMENSIONS 500mm (w) x 500mm (h) x 65mm (d)

ACOUSTIC NRC 0.65 / aw 0.55(MH)

NRC 0.9 / aw 0.75(MH) (Ecoustic® Infill increases sound absorption by over 35%)



FIRE TEST AS/ISO 9705

Group 1

SMOGRA <100

GB8624-2012 Grade B1

APPLICATION wall + ceiling (must be glued)

ORIGIN Made in Australia


WARRANTY A 12 month warranty is provided against

manufacturing defects. Internal installation only,

outdoor use will void any warranty

Please contact your representative for CAD drawings

#### **Side View**



## **BENEFITS**

**Lightweight, Easy to Handle + Install:** Position the 4-way clips using the template provided, then simply press the tile into place. The tiles can be easily moved or extended at a later stage.

# **Designed for the Environment**














**Building Rating Systems:** Matrix will contribute the following points for Green Star, LEED + WELL building standards.

Criteria	Green Star	LEED	WELL
Recycled Content	√	√	NA
Low VOC	√	√	√
Recycling Program	√	√	NA
EPD	√	√	NA
Declare Label	NA	√	√
Greentag Level A Certification	√	√	√
Toxic Material Reduction	NA	NA	√
Sound Reducing Surfaces	NA	NA	√

HOW TO SPECIFY		
DESIGN	Ecoustic® Matrix Wall Tile	
COLOUR	Select from Ecoustic® Felt colours	
ECOUSTIC® INFILL	Optional extra - order separately	





## **Ecoustic® Matrix Wall Tile**

100% polyester (up to 23% recycled content)



4 way clip Clear ABS

8 + 1 spare 4-way clips are supplied with each box Single clip template is included in each box



**Complete**Use a complete clip for each junction of 4 tiles




Half Break a clip in half for each straight edge 2 tile joins



**Quarter**Break clip into quarters for each single tile corner

## Example 2m x 2m Clip Layout



Product may vary in colour due to the nature of the media Please refer to website for current colour range Variation in fibre mix and colour is an inherent feature of this product and variation from batch to batch may occur

